

## 5 References

- [1] Ablameyko S., Aparin G., Bereishik V., Homenko M., Knowledge-based interpretation of roads and correlated objects on map drawing, *Proc. Int. Conf. Control, Automation, Robotics, and Computer Vision-ICARVC'94*, Singapore, pp.343-347, 1994.
- [2] Ablameyko S., Bereishik V., Frantkevich O., Paramonova N., Melnik E., Homenko M., Interpretation of engineering drawings: Techniques and experimental results, *Pattern Recognition and Image Analysis*, 5: 380-401, 1995.
- [3] Ablameyko S., Pridmore T., *Machine Interpretation of Line Drawing Images*, Springer, 2000.
- [4] Ageenko E., *Context-based Compression of Binary Images*, Ph.D. Thesis, CS Dept, University of Joensuu, Joensuu, Finland, 2000.
- [5] Ageenko E., Fränti P., Context-based filtering, of document images, *Pattern Recognition Letters*, 21(6-7): 483-491, 2000.
- [6] Agarwal P.K., Har-Peleg S., Mustafa N., Wang Y., Near linear-time approximation algorithms for curve simplification. *Proc. 10<sup>th</sup> Annual European Sympos. on Algorithms*, 29-41, 2002.
- [7] Aggarwal A., Klawe M.M., Moran S., Shor P., Wilber R., Geometric applications of a matrix-searching algorithm, *Algorithmica*, 2: 195-208, 1987.
- [8] Aggarwal A., Schiever B., Tokuyama T., Finding a minimum-weight  $k$ -link path in graphs with concave Monge-property and applications, *Discrete & Computational Geometry*, 12: 263-376, 1994.
- [9] Anderson I.M., Bezdek J.C., Curvature and tangential deflection of discrete arcs: A theory based on the commutator of scatter matrix pairs and its

application to vertex detection in planar shape data, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 6; 27-40, 1984.

- [10] Ansari N., Delp E.J., On detecting dominant points, *Pattern Recognition*, 24: 441-450, 1991.
- [11] Aoki Y., Shio A., Arai H., Odaka K., A prototype system for interpreting hand-sketched floor plans, *Proc. Int. Conf. on Pattern Recognition-ICPR'96*, 1996.
- [12] Aoyama H., Kawagoe M., A piecewise linear approximation method preserving visual feature points of original figures, *Comput. Vision, Graphics and Image Process.: Graphical Models and Image Process*, 53: 435-446, 1991.
- [13] Arcelli C., Cordella L., Levialdi S., Parallel thinning of binary pictures, *Electronic Letters*, 11: 148-149, 1975.
- [14] Arcelli C., Ramella G., Finding contour-based abstraction of planar patterns, *Pattern Recognition*, 26:1563-1577, 1993.
- [15] Arcelli C., Sanniti di Baja G., A width-independent fast thinning algorithm, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 7(4): 463-474, 1985.
- [16] Arcelli C., Sanniti di Baja G., A one-pass two-operation process to detect the skeletal pixels on the 4-distance transform, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 11(4): 411-414, 1989.
- [17] Asada H., Brady M., The curvature primal sketch, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 8(1):2-14, 1986.
- [18] Attneave F., Some informational aspects of visual perception, *Physical Review*, 61:1833-193, 1954.
- [19] Baek J.H., Teague K.A., Parallel thinning on a distributed memory computer, *Proc. 5<sup>th</sup> on Distributed Memory Computing Conf.-DMCC5*, Charleston, USA, 72-75, April 1990.
- [20] Baek Y.S., Teague K.A., Chang Y.S., Parallel extended local feature extraction on distributed memory computer, *Proc. Int. Conf. on Multisensor Fusion and Integration for Intelligent System-MFI'94*, Las Vegas, USA, October 2-5, 1994.

- [21] Ballard D.H., Strip trees: A hierarchical representation for curves, *Comm. ACM*, 24(5): 310-321, 1981.
- [22] Barequet G., Chen D.Z., Daescu O., Goodrich M.T., Snoeyink J., Efficiently approximating polygonal paths in three and higher dimensions, *Algorithmica*, 33(2): 150-167, 2002.
- [23] Beau V., Singer M., Reduced resolution and scale space for dominant feature detection in contours, *Pattern Recognition*, 34: 287-297, 2001.
- [24] Baumgart B.G., *Geometric Modeling for Computer Vision*, PhD Thesis, CS Dept, Stanford University, STAN-CS-74-463, 1974.
- [25] Beffert H., Shinghal R., Skeletonizing binary patterns on the homogeneous multiprocessor, *Pattern Recognition and Artificial Intelligence*, 3(2): 207-217, 1989.
- [26] Bellman R., *Dynamic Programming*, Princeton University Press, New Jersey, 1957.
- [27] Bellman R., On the approximation of curves by line segments using dynamic programming, *Comm. ACM*, 4(6): 284, 1961.
- [28] Bernsen J., Dynamic thresholding of grey-level images, *Proc. Int. Conf. on Pattern Recognition-ICPR'86*, 1251-1255, 1986.
- [29] Borgefors G., Distance transformations in arbitrary dimensions, *Computer Vision, Graphics, and Image Processing*, 27(3): 321-345, 1984.
- [30] Borgefors G., Distance transformations in digital images, *Computer Vision, Graphics, and Image Processing*, 34(3): 344-371, 1986.
- [31] Borgefors G., Sanniti di Baja G., Skeletonizing the distance transform on the hexagonal grid, *Proc. Int. Conf. Pattern Recognition-ICPR'88*, 1: 504 –507, November 1988.
- [32] Borgefors G.; Svensson S., Fuzzy border distance transforms and their use in 2D skeletonization, *Proc. Int. Conf. on Pattern Recognition-ICPR'02*, Quebec City, Canada, 1: 180 –183, August 2002.

- [33] Boxer L., Chang C.-S., Miller R., Rau-Chaplin A., Polygonal approximation by boundary reduction, *Pattern Recognition Letters*, 14: 111-119, 1993.
- [34] Cantoni A., Optimal curve fitting approximation with piecewise linear functions, *IEEE Trans. Computers*, 20: 54-67, 1971.
- [35] Cederberg R.L.T., An iterative algorithm for angle detection on digital curves, *Proc. 4<sup>th</sup> Int. Joint Conf. on Pattern Recognition*, Kyoto, Japan, 576-578, 1978.
- [36] Chai I., Dori D., Orthogonal Zig-Zag: An efficient method for extracting lines from engineering drawings, in *Visual Form*, C. Arcelli, L.P. Cordella, G. Sanniti di Baja, (Eds.), Plenum Press, New York and London, pp. 127-136, 1992.
- [37] Chan W.S., Chin F., On approximation of polygonal curves with minimum number of line segments or minimum error, *Int. J. Comput. Geom. Appl.*, 6: 59-77, 1996.
- [38] Chandran S., Kim S.K., Mount D.M., Parallel computational geometry of rectangles, *Algorithmica*, 7: 25-49, 1992.
- [39] Chhabra A.K., Dori D., (Eds.), *Graphics Recognition-Recent Advances*, Lecture Notes in Computer Science, Vol.1941, 3-19. Springer Verlag, September 2000.
- [40] Chen D.Z., Daescu O., Space-efficient algorithms for approximating polygonal curves in two-dimensional space, *Proc. 4<sup>th</sup> Annual Int. Conf. on Computing and Combinatorics*, 55-64, 1998.
- [41] Chen D.Z., Daescu O., Space-efficient algorithms for approximating polygonal curves in two-dimensional space, *Int. J. of Comput. Geometry & Applications*, 13(2): 95-111, 2003.
- [42] Chen Y.S., Hsu W.H., A modified fast parallel algorithm for thinning digital patterns, *Pattern Recognition Letters*, 7: 99-106, 1993.
- [43] Chen L.H., Liao H.Y., Wang J.Y., Fan K.C., Hsieh C.C., An interpretation system for cadastral maps, *Proc. Int. Conf. on Pattern Recognition-ICPR'96*, 1996

- [44] Chen J.-M., Ventura J.A., Wu C.H., Segmentation of planar curves into circular and line segments, *Image Vision and Computing*, 14: 71-83, 1996.
- [45] Chhabra A.K., Dori D., (Eds.), *Graphics Recognition-Recent Advances*, Lecture Notes in Computer Science, Vol.1941, Springer Verlag, 2000.
- [46] Chia T.-L., Wang K.-B., Chen Z., Lou D.-C., Parallel distance transforms on a linear array architecture, *Information Processing Letters*, 82: 73-81, 2002.
- [47] Chiang J.Y., Tue S.C., Leo Y.C., A new algorithm for line image vectorization, *Pattern Recognition*, 31(10): 1541-1549, 1998.
- [48] Chinnasarn K., Rangsanseri Y., Thitimajshima P., Removing salt-and-pepper noise in text/graphics images, *Proc of the Asia-Pacific Conf. on Circuits and Systems-APCCAS'98*, 459-462, 1998.
- [49] Chung J.-W., Lee J.-H., Moon J.-H., Kim J.-K., A new vertex-based binary shape coder for high coding efficiency, *Signal Processing: Image Communications*, 15: 655-684, 2000.
- [50] Chung Y., Prasanna V.K., Parallelization of perceptual grouping on distributed memory machines, *Proc. of Conf. on Computer Architectures for Machine Perception Conf.*, Corno, Italy, 323-330, 1995.
- [51] Chung Y., Prasanna V.K., Wang C.-L., A fast asynchronous algorithm for linear feature extraction on IBM SP-2, *Comm. ACM*, 30(2), 1987.
- [52] Chung K.-L., Yan W.-M., Chen W.-Y., Efficient algorithms for 3-D polygonal approximation based on LISE criterion, *Pattern Recognition*, 35: 2539-2548, 2002.
- [53] Computational Geometry Impact Force, *Application Challenges to Computational Geometry*, Technical Report, TR-521-96, 1996.
- [54] Cordella L.P., Dettori G., On  $O(n)$  algorithm for polygonal approximation, *Pattern Recognition Letters*, 3: 93-97, 1985.
- [55] Cormen T.H., Leiserson C.E., Rivest R.L., *Introductions to Algorithms*, The MIT Press, 1990.

- [56] Cornic P., Another look at the dominant point detection of digital curves, *Pattern Recognition Letters*, 18 (1): 13-25, 1997.
- [57] Cox M.G., Curve fitting with piecewise polynomials, *J. Inst. Math. Appl.*, 8: 36-52, 1971.
- [58] Dahl G., Realfson B., *Curve Approximation and Constrained Shortest Path Problems*, Preprint 6, University of Oslo, Department of Informatics, August 1996.
- [59] Davis L., Understanding shape: Angles and sides, *IEEE Trans. Computers*, 26: 236-242, 1977.
- [60] Davis L.S., Rosenfeld A., Curve segmentation by relaxation labeling, *IEEE Trans. Computers*, 26: 1053-1057, 1977.
- [61] Davis L.S., Rosenfeld A., Hierarchical relaxation for waveform parsing, *Proc. Int. Workshop on Computer Vision Systems*, 101-109, 1978.
- [62] Deguchi K., Aoki S., Regularized polygonal approximation for analysis and interpretation of planar contour figures, *Proc. Int. Conf. on Pattern Recognition-ICPR'90*, B: 865-869, 1990.
- [63] van Dijk S., Thierens D., de Berg M., *Using Genetic Algorithms for Solving Hard Problems in GIS*, Technical Report, TR-2000-32, Utrecht University, 2000.
- [64] Dijkstra E.W., A note on two problems in connexion with graphs, *Numerische Mathematik*, 1: 269-271, 1959.
- [65] Dori D., Orthogonal Zig-Zag: An algorithm for vectorizing engineering drawings compared to Hough transform, *Advances in Engineering Software*, 28(1): 11-24, 1997.
- [66] Dori D., Liu W., Sparse pixel vectorization: An algorithm and its performance evaluation, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 21(3): 202-215, 1999.
- [67] Dorigo M., *Optimization, Learning, and Natural Algorithms*, PhD Thesis, Dip. Elettronica e Informazione, Politecnico di Milano, Italia, 1992.

- [68] Dosch P., Tombre K., Ah-Soon C., Masini G., A complete system for analysis of architectural drawings. *Int. J. Document Analysis and Recognition*, 3(2): 102-116, 2000.
- [69] Dougherty E.R., Optimal mean-square n-observation digital morphological filters. Part I: Optimal binary filters, *Computer Vision, Graphics, and Image Processing*, 55: 36-54, 1992.
- [70] Dougherty E.R., Astola J. (Eds), *Nonlinear Filters for Image Processing*, SPIE Optical Engineering Press, 1997.
- [71] Douglas D.H., Peucker T.K., Algorithm for the reduction of the number of points required to represent a line or its caricature, *The Canadian Cartographer*, 10 (2): 112-122, 1973.
- [72] Duda R.O., Hart P.E., *Pattern Classification and Scene Analysis*, New-York: Wiley, 1972, pp.328-339.
- [73] Dunham J., Optimum uniform piecewise linear approximation of planar curves, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 8(1): 67-75, 1986.
- [74] Dunn M.E., Joseph S.H., Processing poor quality line drawings by local estimation of noise, *Proc. Int. Conf. on Pattern Recognition-ICPR'88*, 153-162, 1988.
- [75] Eivkil L., Taxt T., Moen K., A fast adaptive method for binarization of document images, *Proc. Int. Conf. on Document Analysis and Recognition-ICDAR'91*, 435-443, 1991.
- [76] Espelid R., Jonassen I., A comparison of splitting methods for the identification of corner-points, *Pattern Recognition Letters*, 12: 79-83, 1991.
- [77] Eu D., Toussaint G.T., On approximating polygonal curves in two and three dimensions, *Computer Vision, Graphics, and Image Processing: Graphical Models and Image Processing*, 56 (3): 231-246, 1994.
- [78] Fahn C.-S., Wang J.-F., Lee J.-Y., An adaptive reduction procedure for the piecewise linear approximation of digitized curves, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 11: 967-973, 1989.

- [79] Fishler M.A., Bolles R.C., Perceptual organization and curve partitioning, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 8: 100-105, 1986.
- [80] Forsmoo A., The distance transform algorithm on a two-processor computer, *Proc. 10th Int. Conf. On Image Analysis and Processing-ICIAP'99*, Venice, Italy, pp. 114–118, September 1999.
- [81] Forsmoo A., Borgefors G., Parallel distance transform algorithms on a general SIMD computer, *Proc. 10<sup>th</sup> Scandinavian Conf. on Image Analysis-SCIA'97*, 1: 471-478, 1997.
- [82] Fränti P., Ageenko E., Kolesnikov A., Chalenko I., Compression of line-drawing images using vectorizing and feature-based filtering, *Proc Int. Conf. on Computer Graphics and Visualization-GraphiCon'98*, Moscow, Russia, pp. 219-224, June 1998.
- [83] Fränti P., Ageenko E., Kolesnikov A., Vectorizing and feature-based filtering for line-drawing image compression, *Pattern Analysis & Applications*, 2(4): 285-291, 1999.
- [84] Fränti P., Ageenko E., Kälviäinen H., Kukkonen P., Compression of line-drawing images using Hough transform for exploiting global dependencies, *Proc. 4<sup>th</sup>. Int. Conf. on Information Sciences-JSIC'98*, 4: 433-436, 1998.
- [85] Fränti P., Ageenko E., Kukkonen P., Kälviäinen H., Using Hough transformation for context-based image compression in hybrid raster/vector applications, *J. Electronic Imaging*, 11(2): 236-245, 2002.
- [86] Freeman H., Davis L.S., A corner-fitting algorithm for chain-coded curves, *IEEE Trans. Computers*, 26: 297-303, 1977.
- [87] Fujiwara A., Inoue M., Masuzawa T., Fujiwara H., A simple parallel algorithm for weighted distance transforms, *Proc. IEEE 2<sup>nd</sup> Int. Conf. on Algorithms and Architectures for Parallel Processing*, 1-8, 1996.
- [88] Fujiwara A., Inoue M., Masuzawa T., Fujiwara H., A simple parallel algorithm for the medial axis transforms, *Proc. Int. Parallel Processing Symp.* 407-411, 1997.

- [89] Garrido A., de la Blanca N.P., Garcia-Silvente M., Boundary simplification using a multiscale dominant-point detection algorithm, *Pattern Recognition*, 31: 791-804, 1998.
- [90] Glasbey C.A., An analysis of histogram-based thresholding algorithm, *Graphical Models and Image Processing*, 55(6): 532-7, 1993.
- [91] Glover F., Laguna M., *Tabu Search*, Kluwer Academic Publisher, 1997.
- [92] Gluss B., Further remarks on line segment curve-fitting using dynamic programming, *Comm. ACM*, 5: 441-443, 1962.
- [93] Goldberg D.E., *Genetic Algorithms in Search, Optimization and Machine Learning*, Addison-Wesley, Reading, MA, 1989.
- [94] Gritzali F., Papakonstantinou G., A fast piecewise linear approximation algorithm, *Signal Processing*, 5: 221-227, 1983.
- [95] Guo Z., Hall R.W., Parallel thinning with two-subiteration algorithms, *Comm. ACM*, 32(3): 359-373, 1989.
- [96] Hall R.W., Fast parallel thinning algorithms: parallel speed and connectivity preservation, *Comm. ACM*, 32(1): 123-131, 1989.
- [97] Haugland D., Heber J., Husøy J., Optimization algorithm for ECG compression, *Medical & Biological Engineering & Computing*, 35: 420-424, 1997.
- [98] Haugland D., Heber J., Husøy J., Compression data by shortest path methods, in *Operations Research Proceedings 1996*, Springer, Berlin, 145-150, 1997.
- [99] Hayat L., Naqvi A.A., Sandler M.B., Comparative evaluation of fast thinning algorithms on a multiprocessor architecture, *Image and Vision Computing*, 10: 210-218, 1992.
- [100] Heber J., Haugland D., Husøy J., An efficient implementation of an optimal time-domain ECG coder, *Proc. IEEE Conf. on Engineering in Medicine and Biology*, 1384-1385, 1997.
- [101] Heckbert P.S., Garland M., Survey of polygonal surface simplification algorithms, *Technical Report*, CS Dept., Carnegie Mellon University, 1997.

- [102] Heijmans H., *Morphological Image Operators*, Academic Press, Boston, 1994.
- [103] Held A., Abe K., Arcelli C., Towards a hierarchical contour description via dominant point detection, *IEEE Trans. on Systems, Man, and Cybernetics*, 24(6): 942-949, 1994.
- [104] Hershberger J., Snoeyink J., Speeding up the Douglas-Peucker line simplification algorithm, *Proc. 5th Int. Symp. on Spatial Data Handling*, 134-143, 1992.
- [105] Hershberger J., Snoeyink J., An  $O(n \log n)$  implementation of the Douglas-Peucker algorithm for line simplification. *Proc. 10<sup>th</sup> Annu. ACM Symp. on Comput. Geom.*, 383-384, 1994.
- [106] Hershberger J., Snoeyink J., Cartographic line simplification and polygon CSG formulæ in  $O(n \log^* n)$  time. *Computational Geometry: Theory and Applications*, 11(3-4): 175-185, 1998.
- [107] Heydorn S., Widner P., Optimization and performance analysis of thinning algorithms on parallel computers, *Parallel Computing*, 17:17-27, 1991.
- [108] Ho S.-Y., Chen Y.-C., An efficient evolutionary algorithm for accurate polygonal approximation, *Pattern Recognition*, 34: 2305-2317, 2001.
- [109] Hori O., Tanigawa O., Raster-to-vector conversion by line fitting based on contours and skeletons, *Proc. Int. Conf on Document Analysis and Recognition-ICDAR'93*, pp.353-358, 1993.
- [110] Horng J.-H., Improving fitting quality of polygonal approximation by using the dynamic programming technique, *Pattern Recognition Letters*, 23(4): 1657-1673, 2002.
- [111] Horng J.-H., Li J.-T., An automatic and efficient dynamic programming algorithm for polygonal approximation of digital curves, *Pattern Recognition Letters*, 23(1-3): 171-182, 2002.
- [112] Horst J.A., Beichl I., A simple algorithm for efficient piecewise linear approximation of space curves, *Proc. Int. Conf. Image Processing-ICIP'97*, 2: 744-747, 1997.

- [113] Horst J., Beichl I., Efficient piecewise linear approximation of space curves using chord and arc length, *Proc. Conf. on Machine Vision-96*, 1996.
- [114] Hosur P.I., Ma K.-K., Optimal algorithm for progressive polygonal approximation of discrete planar curves, *Proc. Int. Conf. Image Processing-ICIP'99*, 1: 16-20, 1999.
- [115] Hu J., Yan H., Polygonal approximation of digital curves based on the principles of perceptual organization, *Pattern Recognition*, 30(5): 701-718, 1997.
- [116] Huang S.-C., Sun Y.-N., Polygonal approximation using genetic algorithms, *Pattern Recognition*, 32: 1409-1420, 1999.
- [117] Imai H., Iri M., Computational-geometric methods for polygonal approximations of a curve, *Computer Vision, Graphics and Image Processing*, 36: 31-41, 1986.
- [118] Imai H., Iri M., An optimal algorithm for approximating a piecewise linear function, *J. of Information Processing*, 9(3): 159-162, 1986.
- [119] Imai H., Iri M., Polygonal approximations of a curve (formulations and algorithms), in *Computational Morphology*, G.T. Toussaint, (Ed), 71-86, North-Holland, Amsterdam, 1988.
- [120] Iñesta J.M., Buendia M., Sarti M.A., Reliable polygonal approximations of imaged real objects through dominant point detection, *Pattern Recognition*, 31: 685-697, 1998.
- [121] Ishijama M., Chin S.B., Hostetter G.H., Sklansky J., Scan-along polygonal approximation for data compression of electrocardiograms, *IEEE Trans. Biomedical Engineering*, 30(11): 723-729, 1983.
- [122] Janssen R.D.T., *The Application of Model-based Image Processing to the Interpretation of Maps*, PhD Thesis, Delft University of Technology, The Netherlands, 1995.
- [123] Janssen R.D.T., Vossepoel A.M., Adaptive vectorization of line drawing images, *Computer Vision and Image Understanding*, 65(1): 38-56, 1997.

- [124] Jawahr C., Biswas P., Ray A., Analysis of fuzzy thresholding schemes, *Pattern Recognition*, 33(8): 1339-1349, 2000.
- [125] Jenq J.F., Sahni S., Serial and parallel algorithms for the medial axis transform, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 14: 1218-1224, 1992.
- [126] Jin X.C., Ong S.H., Jajasooriah, A domain operator for binary morphological processing, *IEEE Trans. Image Processing*, 4(7): 1042-1046, 1995.
- [127] Jolt C.M., Stewart S., Clint M., Perrott R.H., An improved parallel thinning algorithm, *Comm. ACM*, 29(3): 239-242, 1987.
- [128] Kanungo T., Haralick R., Dori D., Understanding engineering drawings: A survey, *Proc. Int. Workshop on Graphics Recognition*, Pennsylvania, USA, pp.119-130, August 1995.
- [129] Kasturi R., O'Gorman L., Document Image Analysis: A Bibliography, *Machine Vision and Applications*, 5, pp. 231-243, 1992.
- [130] Kasturi R, Trivedi M.M. (Eds.), *Image Analysis Applications*, Marcell Dekker, New York, 1990.
- [131] Kasturi R, Tombre K. (Eds.), *Graphics Recognition—Methods and Applications*, Lecture Notes in Computer Science, Vol. 107, pp.49-56, Springer-Verlag, 1996.
- [132] Katsaggelos A.K., Kondi L.P., Meier F.W., Osterman J., Schuster G.M., MPEG-4 and rate-distortion-based shape-coding techniques, *Proc. of IEEE*, 86(6): 1126-1154, 1998.
- [133] Kolesnikov A., Belekhov V., Chalenko I., Vectorization of the raster images, *Pattern Recognition and Image Analysis*, 6(4): 784-794, 1996.
- [134] Kolesnikov A., Fränti P., A fast near-optimal *min-#* polygonal approximation of digitized curves, *Proc. IASTED Int. Conf. on Automation, Control and Information Technology-ACIT'02*, Novosibirsk, Russia, pp. 418-422, June 2002.
- [135] Kolesnikov A., Fränti P., A fast near-optimal algorithm for approximation of polygonal curves, *Proc Int. Conf. on Pattern Recognition-ICPR'02*, Quebec City, Canada, 4: 335-338, August 2002.

- [136]Kolesnikov A., Fränti P., Polygonal approximation of closed contours, in *Lecture Notes in Computer Science*, Vol.2749, G.Goos, J.Hartmanis, J. van Leeuwen, (Eds.): Proc. of the Scandinavian Conf. on Image Analysis-SCIA'2003, Göteborg, Sweden, pp. 778-785, June 2003.
- [137]Kolesnikov A., Fränti P., Reduced-search dynamic programming for approximation of polygonal curves, *Pattern Recognition Letters*, 24(14): 2243-2254, 2003.
- [138]Kolesnikov A., Fränti P., Fast algorithm for multiple-objects *min-ε* problem, *Int. Conf. on Image Processing-ICIP'2003*, Barcelona, Spain, Vol. 1, pp. 221-224, September 2003.
- [139]Kolesnikov A., Fränti P., *Data Reduction of Large Vector Graphics*, Research Report, A-2003-2, CS Dept, University of Joensuu, Joensuu, Finland, 2003.
- [140]Kolesnikov A., Trichina E., Parallel algorithm of image skeletonization, *Proc. 5<sup>th</sup> Workshop Distributed Processing of the Information*, Novosibirsk Russia, October 1995. (*in Russian*)
- [141]Kolesnikov A., Trichina E., A parallel algorithm for thinning of binary images, *Optoelectronics, Instrumentation and Data Processing*, 6: 7-13, 1995.
- [142]Kolesnikov A., Trichina E., Parallel implementation of width-independent fast thinning algorithm, *Proc. 1<sup>st</sup> Int. Conf. Visual Information Systems-VISUAL '96*, Melbourne, Australia, pp. 384-393, February 1996.
- [143]Koski A., Juhola M., Segmentation of digital signals based on estimated compression ratio, *IEEE Trans. Biomedical Engineering*, 43(9): 928-938, 1996.
- [144]Koskinen L., Astola J., Soft morphological filters: a robust morphological filtering method, *J. Electron Imaging*, 3: 60-70, 1994.
- [145]Kossentini F., Smith M.J.T., A fast PNN design algorithm for entropy-constrained residual vector quantization, *IEEE Trans. Image Processing*, 7: 1045-1050, 1998.
- [146]Ku K.M., Chiu K.M., Polygonal approximation of digital curve by graduate iterative merging, *Electronics Letters*, 31: 444-446, 1995.

- [147] Kurozumi Y., Davis W.A., Polygonal approximation by the minimax method, *Computer Vision, Graphics and Image Processing*, 19: 248-264, 1982.
- [148] Lam L., Lee S.-W., Suen C.Y., Thinning methodologies – A comprehensive survey, *IEEE Trans. on PAMI*, 14(9): 869-885, 1992.
- [149] Lam L., Lee S.-W., Suen C.Y., A systematic evaluation of skeletonization algorithms, *Int. J. Pattern Recognition and Artificial Intelligence*, 7(5): 1203-1225, 1993.
- [150] Latecki L.J., Lakämper R., Convexity rule for shape decomposition based on discrete contour evolution, *Computer Vision and Image Understanding*, 73: 441-454, 1999.
- [151] Lawson C.L., Characteristics properties of the segmentation rational minimax approximation problem, *Numer. Math.*, 6: 293-301, 1964.
- [152] Lee K.H., Cho S.B., Choy Y.C., Automated vectorization of cartographic maps by a knowledge-based system, *Engineering Applications of Artificial Intelligence*, 13: 165-178, 2000.
- [153] Lee J.-H., Chung J.-W., Kim J.-K., Optimal vertex adjustment method using a Viterbi algorithm for vertex-based shape coding, *Electronic Letters*, 35 (9): 706-707, 1999.
- [154] Lee S.U., Chung S.Y., Park R.H., A comparative performance study of several global thresholding techniques for segmentation, *Computer Vision, Graphics, and Image Processing*, 52: 171-90, 1990.
- [155] Lee Y.H., Horng S.J., Fast parallel chessboard distance transform algorithms, *Proc. Int. Conf. Parallel and Distributed Systems-ICPADS'96*, 488-493, 1996.
- [156] Lee Y.H., Horng S.J., Optimal computing the chessboard transform on parallel processing systems, *Computer Vision and Image Understanding*, 73(3): 374-390, 1999.
- [157] Leu J.G., Chen L., Polygonal approximation of 2d shapes through boundary merging, *Pattern Recognition Letters*, 7(4): 231-238, 1988.

- [158] Lladós J., *Combining Graph Matching and Hough Transform for Hand-Drawn Graphical Document Analysis. Application to Architectural Drawings*, PhD Thesis, Universitat Autònoma de Barcelona, November 1997.
- [159] Loce R.P., Mean-absolute-error representation and optimization of computational-morphological filters, *CVGIP: Graphical Model and Image Processing*, 57(1): 27-37, 1995.
- [160] Manzanera A., Bernard T.M., Prêteux F., Longuet B., Ultra-fast skeleton based on the isotropic fully parallel algorithm, *Proc. of Discrete Geometry for Computer Imagery-DGCI'99*, Springer-Verlag, Lecture Notes in Computer Science, 1568: 313-324, 1999.
- [161] Manzanera A., Bernard T.M., Metrical properties of a collection of 2D parallel thinning algorithms, *Proc. Int. Workshop on Combinatorial Image Analysis*, Palermo, Italy, May 2003, Electronic Notes on Discrete Mathematics, vol. 12, Elsevier Science, 2003.
- [162] Marji M., Siy P., A new algorithm for dominant points detection and polygonalization of digital curves, *Pattern Recognition*, 2003. (in press)
- [163] Mazzariol M., *Computer-Aided Parallelization of Applications*, Ph.D. Thesis, No 2431 Computer Science Department, Ecole Polytechnique Fédérale de Lausanne, Switzerland, 2001.
- [164] Melhi M, Ipson S., Booth W., A novel triangulation procedure for thinning hand-written text, *Pattern Recognition Letters*, 22: 1059-1071, 2001.
- [165] Melkman A., O'Rourke J., On polygonal chain approximation, in *Computational Morphology*, G.T. Toussaint, (Ed), 87-95, North-Holland, Amsterdam, 1988.
- [166] Mikheev A., Vincent L., Faber V., High-quality polygonal contour approximation based on relaxation, *Proc. Int. Conf. Document Analysis and Recognition-ICDAR'01*, 361-365, 2001.
- [167] Milgram M., de Saint Pierre T., Boundary detection and skeletonization with a massively parallel architecture, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 12(1): 74-78, 1990.

- [168] Monagan G., Rösli M., Appropriate base representation using a run graph, *Proc. Int. Conf. Document Analysis and Recognition-ICDAR'93*, Tsukuba, Japan, pp.623-626, 1993.
- [169] Montanari U., A note on a minimal length polygonal approximation to digitized curve, *Comm. ACM*, 13: 41-47, 1970.
- [170] Montoya M.D.G., Garcia I., Implementation of parallel thinning algorithms on multicomputers: analysis of the work load balance, *Proc. 6<sup>th</sup> Euromicro Workshop on Parallel and Distributed Processing*, 257-263, 1998.
- [171] Mori K., Wada K., Toraichi K., Function approximated shape representation using dynamic programming with multi-resolution analysis, *Proc. Int. Conf. on Signal Process. and Applications & Technology-ICSPAT'99*, Orlando, USA, 1999.
- [172] National Land Survey of Finland, Opastinsilta 12 C, P.O.Box 84, 00521, Helsinki, Finland. ([http://www.nls.fi/index\\_e.html](http://www.nls.fi/index_e.html))
- [173] Neumann R., Teisseron G., Extraction of dominant points by estimation of the contour fluctuations, *Pattern Recognition*, 35: 1447-1462, 2002.
- [174] Niblack N., *An Introduction to Image Processing*, Prentice Hall, pp. 115-116, 1986.
- [175] Niblack C.W., Gibbons P.B., Capson D.W., Generating skeletons and centerlines from the distance transform, *Computer Vision, Graphics and Image Processing: Graphical Models and Image Processing*, 54(5): 420-437, 1992.
- [176] Nikiel S., Noise suppression based on the fractal dimension estimates, *Proc. Int. Conf. on Image Processing-ICIP'96*, Losanne, Switzerland, pp. 193-196, 1996.
- [177] Novikov Yu.L., *An efficient algorithms for raster images vectorization and its realization in GIS*. PhD Thesis, Tomsk State University, Russia. (in Russian)
- [178] Nygaard R., *Shortest Path Methods in Representation and Compression of Signals and Image Contours*. PhD Thesis, The Norwegian Institute of Technology, July 2000.

- [179]Nygaard R., Haugland D., Multiple error measure in ECG data compression, *Proc. Norwegian Signal Processing Symp.*, Tromsø, Norway, pp. 134-139, 1997.
- [180]Nygaard R., Melnikov G., Katsaggelos A.K., Rate-distortion optimal ECG coding algorithm, *Proc. Int. Conf. Image Processing-ICIP'99*, Kobe, Japan, pp. 348-351, October 1999.
- [181]Nygaard R., Melnikov G., Katsaggelos A.K., A rate-distortion optimal ECG coding algorithm, *IEEE Trans. Biomedical Engineering*, 48(1): 28-40, 2001.
- [182]Nygaard R., Husøy J., Haugland D., Compression of image contours using combinatorial optimization, *Proc Int. Conf. Image Processing-ICIP'98*, 1: 266-270, 1998.
- [183]Ogier J.M., Mullot R., Labiche J., Lecourtier Y., Multilevel approach and distributed consistency for technical map interpretation: Application to cadastral maps, *Computer Vision and Image Understanding*, 70(3): 438-451, 1998.
- [184]O'Gorman L., Kasturi R. (Eds.), *Document Image Analysis*, IEEE Computer Society, Los Alamitos, California, 1994.
- [185]Otsu N., A thresholding selection method from gray-level histogram, *IEEE Trans. on Systems, Man, and Cybernetics*, 9(1): 62-66, 1979.
- [186]Pal S.K., Pal S.K., A review on image segmentation techniques, *Pattern Recognition*, 26(9): 1277-94, 1993.
- [187]Papakonstantinou G., Optimal polygonal approximation of digital curves, *Signal Processing*, 8: 131-135, 1985.
- [188]Papakonstantinou G., Tsanakas P., Manis G., Parallel approaches to piecewise linear approximation, *Signal Processing*, 37: 415-423, 1994.
- [189]Park R.-H., Jee Y.H., Multistep polygonal approximation, *J. Electronic Imaging*, 3(3): 232-244, 1994.
- [190]Pavlidis T., *Structural Pattern Recognition*, Springer, Berlin, 1977.

- [191] Pavlidis T., A vectorizer and feature extractor for document recognition, *Computer Vision, Graphics and Image Processing*, 35: 111-127, 1986.
- [192] Pavlidis T., Horowitz S.L., Segmentation of plane curves, *IEEE Trans. Computers*, 23(8): 860-870, 1974.
- [193] Pei S.-C., Horng J.-H., Optimum approximation of digital planar curves using circular arcs, *Pattern Recognition*, 3: 383-388, 1996.
- [194] Perez J.C., Vidal E., Optimum polygonal approximation of digitized curves, *Pattern Recognition Letters*, 15: 743-750, 1994.
- [195] Pfaltz J.L., Rosenfeld A., Computer representation of planar regions by their skeletons, *Comm. ACM*, 10: 119-125, 1967.
- [196] Phillips Y., Rosenfeld A., An ISODATA algorithm for straight line fitting, *Pattern Recognition Letters*, 7: 291-297, 1988.
- [197] Pikaz A., Dinstein I., Optimal polygonal approximation of digital curves, *Pattern Recognition*, 28(3): 371-379, 1995.
- [198] Pikaz A., Dinstein I., An algorithm for polygonal approximation based on iterative point elimination, *Pattern Recognition Letters*, 16 (6): 557-563, 1995.
- [199] Ping Z., Lihui C., Alex K.C., Text document filters using morphological and geometrical features of characters, *Proc. Int. Conf Signal Processing-ICSP'00*, pp. 472-475, 2000.
- [200] Piper J., Efficient implementation of skeletonization using interval coding, *Pattern Recognition Letters*, 3: 389-2397, 1985.
- [201] Poty V., Miguet S., A new 2-D and 3-D thinning algorithms based on successive border generations, *Research Report*, No.94-20, Ecole Normale Supérieure de Lyon, Lyon, France, 1994.
- [202] Poty V., Miguet S., Data allocation strategies for parallel image processing algorithms, *Int. J. Pattern Recognition and Artificial Intelligence*, 9(4): 615-634, 1995.
- [203] Poty V., Ubeda V., A parallel thinning algorithm using  $k \times k$  masks, *Int. J. Pattern Recognition and Artificial Intelligence*, 7: 1183-1202, 1993.

- [204]Prasanna V.K., Wang L., Scalable parallel implementations of perceptual grouping on connection machine CM-5, *Proc. Int. Conf. on Pattern Recognition-ICPR '94*, pp. 229-233, 1994.
- [205]Pridmore T., Ablameyko S., A generalized distance transform for line patters, *Pattern Recognition and Image Analysis*, 6: 545-554, 1996.
- [206]Ragnemalm I., Ablameyko S., On the distance transform of line patterns, *Proc. Scandinavian Conf. on Image Analysis*, pp. 1357-1363, 1993.
- [207]Ramer U., An iterative procedure for polygonal approximation of plane curves, *Computer Graphics and Image Processing*, 1: 244-256, 1972.
- [208]Randolph T.R., Smith M.J.T., Enhancement of fax documents using a binary angular representation, *Proc. Int. Symp. on Intelligent Multimedia, Video and Signal Processing*, pp. 125-128, 2001.
- [209]Ramer U., An iterative procedure for the polygonal approximation of plane curves, *Computer Graphics and Image Processing*, 1: 244-256, 1972.
- [210]Ray B.K., Ray K.S., An algorithm for detection of dominant points and polygonal approximation of digitized curves, *Pattern Recognition Letters*, 13: 849-856, 1992.
- [211]Ray B.K., Ray K.S., Detection of significant points and polygonal approximation of digitized curves, *Pattern Recognition Letters*, 13: 443-452, 1992.
- [212]Ray B.K., Ray K.S., Determination of optimal polygon from digital curve using  $L_1$  norm, *Pattern Recognition*, 26(4): 505-509, 1993.
- [213]Ray B.K., Ray K.S., A non-parametric sequential method for polygonal approximation of digital curves, *Pattern Recognition Letters*, 15: 161-167, 1994.
- [214]Ray B.K., Ray K.S., A new split-and-merge technique for polygonal approximation of chain coded curves, *Pattern Recognition Letters*, 16: 161-169, 1995.
- [215]Recatalá G., Iñesta J.M., Polygonal approximation through genetic algorithms, *Proc. 11<sup>th</sup> Scandinavian Conf. on Image Analysis*, pp. 707-714, June 1999.

- [216] Reumann K., Witkam A.P.M., Optimizing curve segmentation in computer graphics, *Proc. Int. Comput. Sympos.*, A.Gunther, B.Levrat and H.Lipps, (Eds.), New-York: Elsevier, 467-472, 1974.
- [217] Rhee P.K., Lee C.W., Performance evaluation of parallel thinning algorithms based on PRAM model, *Proc. Int. Conf. on Parallel and Distributed Methods for Image Processing, Proceedings SPIE*, Vol. 3166, 1997.
- [218] Roberge J., A data reduction algorithm for plain curves, *Computer Vision, Graphics and Image Processing*, 29: 128-195, 1985.
- [219] Rössli M., Monagan G., A high quality vectorization combining local quality measures and global constraints, *Proc. Int. Conf. on Document Analysis and Recognition-ICDAR'95*, pp. 243-248, 1995.
- [220] Rosenfeld A., Johnston E., Angle detection on digital curves, *IEEE Trans. Computers*, 22: 875-878, 1973.
- [221] Rosenfeld A., Pfaltz J.L., Sequential operations in digital picture processing, *J. Ass. Comput. Math.*, 13: 471-494, 1966.
- [222] Rosenfeld A., Pfaltz J.L., Distance functions in digital pictures, *Pattern Recognition*, 1: 33-61, 1968.
- [223] Rosenfeld A., Weszka J.S., An improved method of angle detection on digital curves. *IEEE Trans. Computers*, 24(9): 940-941, 1975.
- [224] Rosin P.L., Techniques for assessing polygonal approximations of curves, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 14 (6): 659-666, 1997.
- [225] Rosin P.L., Assessing the behaviour of polygonal approximation algorithms, *Pattern Recognition*, 36: 505-518, 2003.
- [226] Rosseel M., Comments on paper by Saigal: A constrained shortest route problem, *Operations Research*, 16: 1232-1234, 1968.
- [227] Rutkowski W.S., Peleg S., Rosenfeld A., Shape segmentation using relaxation, *IEEE Trans. Pattern Analysis and Machine Intelligence*: 368-375, 1981.

- [228] Saigal R., A constrained shortest route problem, *Operations Research*, 16: 205-209, 1968.
- [229] Sahoo P.K., Soltani S., Wang A.K.C., A survey of thresholding techniques, *Computer Vision, Graphics, and Image Processing*, 41: 233-60, 1988.
- [230] Salotti M., Improvement of Perez and Vidal algorithm for the decomposition of digitized curves into line segments, *Proc. Int. Conf. on Pattern Recognition-ICPR'00*, Barcelona, Spain, 2: 882-886, September 2000.
- [231] Salotti M., An efficient algorithm for the optimal polygonal approximation of digitized curves, *Pattern Recognition Letters*, 22: 215-221, 2001.
- [232] Salotti M., Un algorithme efficace pour l'approximation polygonale optimale, *Proc. 13<sup>ème</sup> Congrès Francophone AFRIF-AFIA de Reconnaissance des Formes et Intelligence Artificielle-RFIA'2002*, Angers, France, 1: 11-18, 2002.
- [233] Salotti M., Optimal polygonal approximation of digitized curves using the sum of square deviations criterion, *Pattern Recognition*, 35(2): 435-443, 2002.
- [234] Sanchiz J.M., Iñesta J.M., Pla F., A neural network-based algorithm to detect dominant points from the chain-code of a contour, *Proc. Int. Conf. on Pattern Recognition-ICPR'98*, Brisbane, Australia, 4: 325-329. 1998.
- [235] Sanchiz J.M., Pla F., Iñesta J.M., Using neural networks to detect dominant points in chain-coded contours, *Int. J. Pattern Recognition and Artificial Intelligence*, 12: 661-675, 1998.
- [236] Sankar P.V., Sharma C.V., A parallel procedure for detection of dominant points on digital curve, *Comput. Graphics and Image Processing*, 7: 403-412, 1978.
- [237] Sarkar D., A simple algorithm for detection of significant vertices for polygonal approximation of chain-coded curves, *Pattern Recognition Letters*, 14: 959-964, 1993.
- [238] Sato Y., Piecewise linear approximation of planar curves by perimeter optimization, *Pattern Recognition*, 25(12): 1535-1543, 1992.

- [239] Sauvola J., *Document Analysis Techniques and System Components with Applications in Image Retrieval*, PhD Thesis, University of Oulu, Oulu, Finland, 1997.
- [240] Sauvola J., Pietikäinen M., Adaptive document image binarization, *Pattern Recognition*, 33: 225-236, 2000.
- [241] Schwarzkopf O., Parallel computation of distance transforms, *Algorithmica*, 6: 685-697, 1991.
- [242] Schonfeld D., Goutsias J., Optimal morphological pattern restoration from noisy binary images, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 13(1): 14-29, 1991.
- [243] Schroeder K., Laurent P., Efficient polygon approximations for shape signatures, *Proc. Int. Conf. on Image Processing-ICIP'99*, Kobe, Japan, 2: 811-814, October 1999.
- [244] Schuster G.M., Katsaggelos A.K., An optimal polygonal boundary encoding scheme in the rate-distortion sense, *IEEE Trans. Image Processing*, 7(1): 13-26, 1998.
- [245] Schuster G.M., Melnikov G., Katsaggelos A.K., Operationally optimal vertex-based shape coding, *IEEE Signal Processing Magazine*, 15 (6): 91-108, 1998.
- [246] Serra J., *Image Analysis and Mathematical Morphology*, Academic Press, London, 1992.
- [247] Sharaiha Y.M., Christofides N., An optimal algorithm for the straight segment approximation of digital arcs, *Computer Vision, Graphics, and Image Processing: Graphical Models and Image Processing*, 55(5): 397-407, 1993.
- [248] Shih F.Y., Pu C.C., A skeletonization algorithm by maxima tracking on Euclidean distance transform, *Pattern Recognition*, 28(3): 331-341, 1995.
- [249] Sklansky J., Chasin R.L., Hansen B.J., Minimum perimeter polygons of digitized silhouettes. *IEEE Trans. Computers*, 23: 1355-1364, 1972.
- [250] Sklansky J., Gonzalez V., Fast polygonal approximation of digitized curves. *Pattern Recognition*, 12: 327-331, 1980.

- [251] Sohn K., Kim J.H., Alexander W.E., Mean field annealing approach to robust corner detection, *Trans. System, Man and Cybernetics*, (B28), 82-90, 1998.
- [252] Song J., *Research on Progressive-Simplification Based Vectorization Model and Graphics Recognition Methods*, PhD Thesis, Nanjing University, Nanjing, June 2001.
- [253] Song J., Su F., Chen J., Cai S., A knowledge-aided line network oriented vectorization method for engineering drawings, *Pattern Analysis and Applications*, 3: 142-152, 2000.
- [254] Song J., Su F., Li F., Cai S., Raster-to-vector conversion of construction engineering drawings, *Automation in Construction*, 11: 597-605, 2002.
- [255] Song J., Su F., Tai C.-L., Cai S., An object-oriented progressive simplification-based vectorization system for engineering drawings: Model, algorithm, and performance, *IEEE Trans Pattern Analysis Machine Intelligence*, 24(8): 1048-1060, 2002.
- [256] Stefanelli R., Rosenfeld A., Some parallel algorithms for digital pictures, *J. of ACM*, 18: 255-264, 1971.
- [257] Stone H., Approximation of curves by line segments, *Math. Comput.*, 15: 40-47, 1961.
- [258] Suen C.Y., Wang P.S.P., (Eds.) Special issue on thinning methodologies for pattern recognition, *Int. J. Pattern Recognition and Artificial Intelligence*, 7(5): 965-1308, 1993.
- [259] Sun Y.-N., Huang S.-C., Genetic algorithms for error-bounded polygonal approximation, *Int. J. Pattern Recognition and Artificial Intelligence*, 14(3): 297-314, 2000.
- [260] Suzuki S., Abe K., Sequential thinning of binary pictures using distance transformation, *Proc. Int. Conf. on Pattern Recognition-ICPR'86*, Paris, France, pp.289-292, 1986.
- [261] Suzuki S., Abe K., Binary pictures thinning by an iterative parallel two-sub-cycle operations. *Pattern Recognition*, 10(3): 297-307, 1987.

- [262] Taxt T., Flynn P.J., Jain A.K., Segmentation of document images, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 11(12): 1322-29, 1989.
- [263] Teh C.H., Chin R.T., On the detection of dominant points on digital curves, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 11(8): 859-872, 1989.
- [264] Tombre K., Analysis of engineering drawings: State of the art and challenges. In K. Tombre and A.K. Chhabra (Eds.), *Graphics Recognition – Algorithms and Systems, Lecture Notes in Computer Science*, Vol. 1389, pp.257-264, Springer-Verlag, 1998.
- [265] Tombre K., Ah-Soon C., Dosch P., Habed A., Masini G., Stable, robust and off-the-shelf methods for graphics recognition, *Proc. Int. Conf. on Pattern Recognition-ICPR'98*, 1: 406-408, 1998.
- [266] Tombre K., Ah-Soon C., Dosch P., Masini G., Tabbone S., Stable and robust vectorization: How to make the right choices. In A.K. Chhabra and D. Dori, (Eds.), *Graphics Recognition–Recent Advances*, Lecture Notes in Computer Science, Vol.1941, 3-19. Springer Verlag, 2000.
- [267] Tombre K., Chhabra A.K. (Eds.), *Graphics Recognition– Algorithms and Systems*, Lecture Notes in Computer Science, Vol. 1389, 257-264, Springer-Verlag, 1998.
- [268] Toriwaki J.I., Yokoi S., Distance transformations and skeletons of digitized pictures with applications, in *Progress in Pattern Recognition*, 1: 187-264, North Holland, Amsterdam, 1981.
- [269] Toussaint G.T., On the complexity of approximating polygonal curves in the plane, *Proc. IASTED Int. Symp. on Robotics and Automation*, Lugano, Switzerland, 1985.
- [270] Traver V.J., Recatalá G., Iñesta J.M., Exploring the performance of genetic algorithms as polygonal approximators, *Proc. Int. Conf. on Pattern Recognition-ICPR'2000*, 3: 770-773, 2000.
- [271] Trier Ø.D., *A Data Capture System for Hydrographic Maps*, PhD Thesis, University of Oslo, Norway, 1996.

- [272] Trier Ø.D., Jain A.K., Goal-directed evaluation of binarization methods, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 17: 1191-1201, 1995.
- [273] Trier Ø.D., Taxt T., Evaluation of binarization methods for document images, *IEEE Trans. Pattern Analysis and Machine Intelligence* 17: 312-15, 1995.
- [274] Tseng C.-C., Juan C.-J., Chang H.-C., Lin J.-F., An optimal line segment extraction algorithm for online Chinese character recognition using dynamic programming, *Pattern Recognition Letters*, 19: 953-961, 1998.
- [275] Turner K.J., *Computer Perception of Curved Objects Using a Television Camera*, PhD Thesis, University of Edinburgh, Scotland, UK, 1974.
- [276] Ubeda S., Pyramidal thinning algorithm for SIMD parallel machines, *Pattern Recognition*, 12: 1993-2000, 1995.
- [277] Vallone U., Bidimensional shapes polygonalization by ACO, *Proc. 3<sup>rd</sup> Int. Workshop on Ants Algorithms*, Brussels, Belgium, 296-297, September 2002.
- [278] Ventura J.A., Chen J.M., Segmentaion of two-dimensional curve contours, *Pattern Recognition*, 25(10):1129-1140, 1992.
- [279] Visvalingam M., Whyatt J., The Douglas-Peucker algorithm for line simplification: re-evaluation through visualisation, *Computer Graphics Forum*, 9(3): 213-228, 1990.
- [280] Visvalingam M., Whyatt J., Cartographic algorithms: problems of implementation and evaluation and the impact of digitizsing errors, *Computer Graphics Forum*, 10(3): 225-235, 1991.
- [281] Visvalingam M., Whyatt J., Line generalization by repeated elimination of points, *Cartographic Journal*, 30(1): 46-51, 1993.
- [282] Vossepoel A.M., Schutte K., Delanghe C., Memory efficient skeletonisation of utility maps, *Proc. Conf. on Document Analysis and Recognition-ICDAR'97*, Ulm, Germany, pp.797-800, August 1997.
- [283] Wahl, F.M., A binary image preprocessor for document quality improvement and data reduction, *Proc. Int. Conf. on Acoustic, Speech, and Signal Processing-ICASSP'86*, 2459-2462, 1986.

- [284] Wall K., Danielsson P.E., A fast sequential method for polygonal approximation of digitized curves, *Comput. Vision, Graphics and Image Process*, 28: 220-227, 1984.
- [285] Wan W., Ventura J.A., Segmentation of planar curves into straight-line segments and elliptical arcs, *Graphics Model and Image Processing*, 59: 484-494, 1997.
- [286] Wang P.S.P., Zhang Y.Y., A fast and flexible thinning algorithm, *IEEE Trans. Comput.*, 38(5): 741-745, 1989.
- [287] Wenyin L., Dori D., From raster to vectors: Extracting visual information from line drawings, *Pattern Analysis & Applications*, 22: 10-21, 1999.
- [288] Weszka J.S., Survey of threshold selection techniques, *Computer Graphics and Image Processing*, 7(2): 259-265, 1978.
- [289] Weszka J.S., Nagel R.N., Rosenfeld A., A threshold selection technique, *IEEE Trans. Computers*, 23: 1322-1326, 1974.
- [290] Williams C.M., An efficient algorithm for the piecewise linear approximation of planar curves, *Computer Graphics and Image Processing*, 8: 286-293, 1978.
- [291] Wilson G.V., Assessing the usability of parallel programming systems: The Cowichan problems, *Proc. IFIP WG10.3 Working Conf. Programming Environments for Massively Parallel Distributed Systems*, Monte Verita, Ascona, Switzerland, April 1994.
- [292] Wilson G.V., Bal H.E., An empirical assessment of the usability of Orca using the Cowichan problems, *IEEE Trans. Parallel and Distributed Technology*, 4(3): 36-44, 1996.
- [293] Wu W.-Y., An adaptive method for detecting dominant points, *Pattern Recognition*, 36(10): 2231-2237, 2003.
- [294] Wu J.-S., Leou J.-J., New polygonal approximation schemes for object shape representation, *Pattern Recognition*, 26: 471-484, 1993.
- [295] Wu R.-Y., Tsai W.-H., A new one-pass parallel thinning algorithm for binary images, *Pattern Recognition Letters*, 13: 715-723, 1992.

- [296] Wu W.-Y., Wang M., Detecting the dominant points by the curvature-based polygonal approximation, *Computer Vision, Graphics and Image Processing: Graphical Models and Image Process.* 55: 79-88, 1993.
- [297] Wu X., Optimal quantization by matrix searching, *Journal of Algorithms*, 12(4): 663-673, 1991.
- [298] Wu X., Zhang K., Quantizer monotonicities and global optimal scalar quantizer design, *IEEE Trans. Inform. Theory*, 39: 39: 1049-1053, 1993.
- [299] Wuescher D.M., Boyer K.L., Robust contour decomposition using a constant curvature criterion, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 13(1): 41-51, 1991.
- [300] Xiao Y., Zou J.J., Yan H., An adaptive split-and-merge method for binary image contour data compression, *Pattern Recognition Letters*, 22: 299-307, 2001.
- [301] Xu C. C., Lau F.C.M., Decentralized remapping of data parallel computations with the generalized dimension exchange method, *Proc. 1994 Scalable High-Performance Computing Conf.*, 411-421, May 1994.
- [302] Xu C.- C., Lau F.C.M., *Load Balancing in Parallel Computers: Theory and Practice*, Kluwer Academic Publisher, 1997.
- [303] Xu C. C., Lau F.C.M., Diekmann R., Decentralized remapping of data parallel applications in distributed memory multiprocessors, *Concurrency: Practice and Experience*, 9(12): 1351-1376, 1997.
- [304] Yin P.-Y., Algorithms for straight-line fitting using  $k$ -means, *Pattern Recognition Letters*, 19: 31-41, 1998.
- [305] Yin P.-Y., A new method for polygonal approximation using genetic algorithms, *Pattern Recognition Letters* 19: 1017-1026, 1998.
- [306] Yin P.-Y., Genetic algorithms for polygonal approximation of digital curves, *Int. J. Pattern Recognition and Artificial Intelligence* 13:1061-1082, 1999.
- [307] Yin P.-Y., A tabu search approach to the approximation of digital curves, *Int. J. Pattern Recognition and Artificial Intelligence* 14: 243-255, 2000.

- [308] Yin P.-Y., Ant colony search algorithms for optimal approximation of plane curve, *Pattern Recognition*, 36(8): 1783-1797, 2003.
- [309] Yokoi S., Toriwaki J.I., Fukumura J.I., An analysis of topological properties of digital binary pictures using local features, *Comput. Graphics and Image Processing*, 4:63-73, 1975.
- [310] Yu Y., *A System for Engineering Flow Drawing Understanding*, PhD Thesis, Univ. Nebraska-Lincoln, August 1994.
- [311] Yun B.-J., Lee S.-W., Kim S.-D., Vertex adjustment method using a geometric constraint for polygon-based shape coding, *Electronic Letters*, 37 (9): 754-755, 2001.
- [312] Zhang H., Guo J., Optimal polygonal approximation of digital planar curves using meta-heuristics, *Pattern Recognition*, 34, 1429-1436, 2001.
- [313] Zhang, Mahgoub, A parallel VLSI-implementable thinning algorithm, *Proc. 8th Int. Conf. on Parallel and Distributed Computing Systems*, 254-S, 1995.
- [314] Zhang T.Y., Suen C.Y., A fast parallel algorithm for thinning digital patterns, *Comm. ACM*, 27(3): 236-239, 1984.
- [315] Zhang Y.Y., Wang P.S.P., A new parallel thinning methodology, *Int. J. Pattern Recognition and Artificial Intelligence*, 8: 999-1011, 1994.
- [316] Zhao Z., Saalfeld A., A linear-time sleeve-fitting polyline simplification algorithms. *Proc. 13<sup>th</sup> Int. Conf. AutoCarto, ACSM/ASPRS'97 Technical Papers*, 5: 214-223, 1997.
- [317] Zheng Q., Kanungo T., *Morphological degradation models and their use in document image restoration*, University of Maryland, USA, Technical Report, LAMP-TR-065 CAR-TR-962 N660010028910/IIS9987944, 2001.
- [318] Zhou X., Wei J., Li F., Woo P.Y., A new algorithm for parallel thinning and its hardware realization, *Int. J. Imaging Systems and Technology*, 10(4): 318-322, 1999.
- [319] Zhu P., Chirlian P.M., On critical point detection of digital shapes, *IEEE Trans. Pattern Analysis and Machine Intelligence*, 17: 737-748, 1995.

[320]Zhu Y., Seneviratne L.D., Optimal polygonal approximation of digitized curves, *IEE Proc.-Vis. Image Signal Process*, 144(1): 8-14, 1997.